ELSEVIER

Volume 206, Issues 1–3, 12 September 2008

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Pressure measurement and some observation in lost foam casting 1
M. Khodai, N. Parvin

The effects of cutter path strategies on surface roughness of pocket milling of 1.2738 steel based on Taguchi method. 7
C. Gologlu, N. Sakarya

Kinetic and mechanism of Tarfaya (Morocco) oil shale and LDPE mixture pyrolysis 16
A. Aboulkas, K. El harfi, A. El bouadili

The effect of heat treatment on hot deformation behaviour of Al 2024 25
G.R. Ebrahimi, A. Zarei-Hanzaki, M. Haghshenas, H. Arabshahi

New developments in non-destructive controls of the composite materials and applications in manufacturing engineering 30
E. Bayraktar, S.D. Antolovich, C. Bathias

Optimization of drawbead design in sheet metal forming based on intelligent sampling by using response surface methodology 45
W. Hu, L. Enying, L.G. Yao

The dispersion of silver nanoparticles with physical dispersal procedures 56
H.-W. Lin, W.-H. Hwu, M.-D. Ger

Numerical simulation of metal flow and solidification in the multi-cavity casting moulds of automotive components 62
A. Kermanpur, S. Mahmoudi, A. Hajipour

New tension control at the head of strip in hot strip finishing mill. 69
C.J. Park, I.C. Hwang

The optimisation of shot peen forming processes. 78
T. Wang, M.J. Platts, J. Wu

Numerical design optimisation of drawbead position and experimental validation of cup drawing process. 83
N.M. Sheriff, M.M. Ismail

Effect of cooling rate on the microstructure and mechanical properties of microalloyed forging steel. 92
D. Rasouli, Sh. Khameneh Asl, A. Akbarzadeh, G.H. Daneshi

Effect of hot forging on the microstructure and mechanical properties of Mg–Zn–Y alloy 99
G. Garcés, A. Müller, E. Oñorbe, P. Pérez, P. Adeva

Similarity and scaling assessments of mechanical parts using adjacency relation matrices 106
A. Çiçek

Nondestructive evaluation and real-time monitoring of laser surface hardening 120
Z. Xu, K.H. Leong, C.B. Reed

Crystallization and electrical properties of $[(Pb_{1-x}Sr_x)\cdot TiO_3][(2SiO_2\cdot B_2O_3)][K_2O]$ glass–ceramics 126
A. Bahrami, Z.A. Nemati, P. Alizadeh, M. Bolandi

Preliminary study on the microstructure and mechanical properties of dissimilar friction stir welds in aircraft aluminium alloys 2024-T351 and 6056-T4 132
S.T. Amancio-Filho, S. Sheikhi, J.F. dos Santos, C. Bolfarini

Width control systems with roll force automatic width control and finishing vertical mill automatic width control in hot strip mill 143
C.J. Park, I.C. Hwang

(Contents continued on page I)

0924-0136(20080912)206:1/3;1-9

(Contents continued from OBC)

Effect of the blank holder force on drawing of aluminum alloy square cup: Theoretical and experimental investigation 152
H.İ. Demirci, C. Esner, M. Yasar

Modification of Mg_2Si morphology in Mg–Si alloys with Bi 161
E.J. Guo, B.X. Ma, L.P. Wang

Experimental investigations of cutting parameters influence on cutting forces and surface roughness in finish hard turning of MDN250 steel 167
D.I. Lalwani, N.K. Mehta, P.K. Jain

Reduction process of nickel cations anchored on carbon nanotubes 180
J.P. Cheng, X.B. Zhang, Y. Ye

A smart stamping tool for punching and broaching combination 184
P.V.P. Marcondes, A.M. Eto, P.A.C. Beltrão, P.C. Borges

LZSA glass-ceramic laminates: Fabrication and mechanical properties 194
C.M. Gomes, A.P.N. Oliveira, D. Hotza, N. Travitzky, P. Greil

Identification and quantification of active manufacturing factors for graphite formation in centrifugally cast Nihard cast irons 202
J. Asensio-Lozano, J.F. Álvarez-Antolín, G.F.V. Voort

Improvement of the graft and dyeability of linen by DBD treatment in ambient air 216
C.-S. Ren, D.-Z. Wang, Y.-N. Wang

Densification behaviour of nanocrystalline hydroxyapatite bioceramics 221
S. Ramesh, C.Y. Tan, S.B. Bhaduri, W.D. Teng, I. Sopyan

Characterization and determination of Fe_xB layers' mechanical properties 231
O. Culha, M. Toparli, S. Sahin, T. Aksoy

The effect on residual stresses of porosity and surface roughness in high temperature insulation coatings on Ag tape for magnet technologies 241
Y. Arman, O. Sayman, E. Çelik, S. Aksoy, Y.S. Hasçiçek

Effect of tool position on the fatigue properties of dissimilar 2024-7075 sheets joined by friction stir welding 249
P. Cavaliere, F. Panella

Prediction of magnetic interference from resistance spot welding processes on implantable cardioverter-defibrillators 256
Ó. Martín, M. López, P. De Tiedra, M.S. Juan

A computational method to predict strip profile in rolling mills 263
A.S. Malik, R.V. Grandhi

Reloading effects on plane plates subjected to non-contact underwater explosion 275
R. Rajendran

Sol–gel synthesis of aluminum titanate (Al_2TiO_5) nano-particles 282
M. Sobhani, H.R. Rezaie, R. Naghizadeh

Influence of cold rolling on sensitization and intergranular stress corrosion cracking of AISI 304 aged at 500 °C 286
R. Singh

A comparison between silicon nitride-based ceramic and coated carbide tools in the face milling of irregular surfaces 294
A.E. Diniz, J.A.G. Ferrer

Abrasive wear performance of untreated SCF reinforced polymer composite 305
N.S.M. El-Tayeb

Synthesis and characterization of zirconia- and silica-doped zirconia nanopowders by oxalate processing 315
J. Chandradass, K.-S. Han, D.-s. Bae

Ultrasonic cavitation treatment for soldering on Zr-based bulk metallic glass 322
S. Tamura, Y. Tsunekawa, M. Okumiya, M. Hatakeyama

Improvement in accuracy in potential method for detecting EDM spark locations 328
F. Han, P. Grangure, M. Kunieda

An upper-bound analysis of axisymmetric extrusion assisted by cyclic torsion 333
J. Maciejewski, Z. Mróz

Deformations of thin-walled plate due to static end milling force 345
T. Aijun, L. Zhanqiang

Characterization of cobalt dispersed on the mixed nanoscale alumina and zirconia supports 352
T. Burakorn, J. Panpranot, O. Mekasuwandumrong, C. Chaisuk, P. Praserthdam, B. Jongsomjit

Study of three-dimensional spacer fabrics: Physical and mechanical properties 359
J. Yip, S.-P. Ng

Effect of carbon content on the microstructure and mechanical properties of ultra-fine grade (Ti,W) (C,N)-Co cermets 365
Y. Li, N. Liu, X. Zhang, C. Rong

Effect of semi-solid isothermal heat treatment on the microstructure of Mg–6A1–1Zn–0.7Si alloy 374
Y. Mingbo, P. Fusheng, C. Renju, B. Liang

The low temperature precipitation in commercial-purity aluminium sheets for foils 382
J. Zhang, F. Pan, R. Zuo, C. Bai

Effect of heat treatment on corrosion behavior of Ti–6Al–4V alloy weldments 388
F. Karimzadeh, M. Heidarbeigy, A. Saatchi

Fabrication of high porous NiTi shape memory alloy by metal injection molding 395
H. Guoxin, Z. Lixiang, F. Yunliang, L. Yanhong

Deformation of revolving closed-shell with multi-curvature profile under inner pressure 400
Z.-B. He, S.-J. Yuan, Z.R. Wang

Investigation into the effects of drilling parameters on delamination by various step-core drills 405
C.C. Tsao

Damping capacity measurement of elastic porous wire-mesh material in wide temperature range 412
J.F. Hou, H.B. Bai, D.W. Li

Mechanical properties and formability of an Mg–6%Li–1%Zn alloy thin sheet at elevated temperatures ... 419
H.-Y. Wu, G.-Z. Zhou, Z.-W. Gao, C.-H. Chiu

Fabrication and characterization of eutectic gold–silicon (Au–Si) nanowires 425
J.-S. Lin, C.-C. Chen, E.W.-G. Diau, T.-F. Liu

Predicting forming limit of electrodeposited nickel coating based on practical stress–strain relationship 431
L.Q. Zhou, J.G. Tang, Y.P. Li, Y.C. Zhou

Characterization of laser powder deposited Ti–TiC composites and functional gradient materials 438
Y. Zhang, Z. Wei, L. Shi, M. Xi

Synthesis research of nanosized ZSM-5 zeolites in the absence of organic template 445
Y. Cheng, R.H. Liao, J.S. Li, X.Y. Sun, L.J. Wang

Generation of cutter paths for hard material in wire EDM 453
S. Imahori, M. Kushiya, T. Nakashima, K. Sugihara

Plasma treatment effects on Si and Si/dielectric film heterostructures 462
C. Di Franco, N. Cioffi, N. Ditaranto, M.S. Vitiello, M. Sibilano, L. Torsi, G. Scamarcio

Effect of deep cryogenic treatment on wear resistance and tool life of M2 HSS drill 467
V. Firouzdor, E. Nejati, F. Khomamizadeh

Thermal fatigue behavior of gray cast iron with striated biomimetic non-smooth surface 473
X. Tong, H. Zhou, W. Zhang, Z.-h. Zhang, L.-q. Ren

Modeling of aluminum alloy profile extrusion process using finite volume method 481
S. Lou, G. Zhao, R. Wang, X. Wu

Effects of electrical discharge energy on machining performance and bending strength of cemented tungsten carbides 491
Y.-C. Lin, L.-R. Hwang, C.-H. Cheng, P.-L. Su

Numerical simulation and experimental research on the multi-pass neck-spinning of non-axisymmetric offset tube 500
Q.X. Xia, S.W. Xie, Y.L. Huo, F. Ruan

Author index 509

Subject index 511